

according to Regulation (EC) No 1907/2006

JUST INK Basic Orange Revision date: 20.01.2022 Product code: 27175 Page 1 of 11 SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier JUST INK Basic Orange 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture Intradermal application Uses advised against Permanent Make-up 1.3. Details of the supplier of the safety data sheet Company name: JUST INK Distribution GmbH Street: Am Kirchenhölzl 15 Place: D-82166 Gräfelfing Telephone: +49 89 1250 1450 7 contact@JUST-INK.eu e-mail: Ralf Michel Telephone: +49 89 1250 1450 7 Contact person: e-mail: contact@JUST-INK.eu Internet: www.JUST-INK.eu

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

Hazard components for labelling

No label required according to 1999/45/EC, annex V B, No. 9.

2.3. Other hazards

No risks worthy of mention. Please observe the information on the safety data sheet at all times.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
100-51-6	benzyl alcohol			1 - < 5 %
	202-859-9	603-057-00-5		
	Acute Tox. 4, Acute Tox.	4; H332 H302		

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
100-51-6	202-859-9	benzyl alcohol	1 - < 5 %
	inhalation: ATE 1230 mg/kg	= 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: LD50 =	

SECTION 4: First aid measures



according to Regulation (EC) No 1907/2006

JUST INK Basic Orange

Revision date: 20.01.2022

Product code: 27175

Page 2 of 11

4.1. Description of first aid measures

General information

In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

After inhalation

Provide fresh air.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

Allergic anaphylactic shock.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Regulation of the blood circulation, possible shock treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable. Vapours can form explosive mixtures with air. No risks worthy of mention. Please observe the information on the safety data sheet at all times.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

none

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13 No special environmental protection measures are necessary.

SECTION 7: Handling and storage

7.1. Precautions for safe handling



according to Regulation (EC) No 1907/2006

JUST INK Basic Orange

Revision date: 20.01.2022

Product code: 27175

Page 3 of 11

Advice on safe handling

No special technical protective measures are necessary.

Advice on protection against fire and explosion Non-combustible liquids

Further information on handling

No special handling advices are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. storage temperature: 5°C - 35°C

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
78-93-3	Butan-2-one (methyl ethyl ketone)	200	600		TWA (8 h)	WEL
		300	899		STEL (15 min)	WEL
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
56-81-5	Glycerol, mist	-	10		TWA (8 h)	WEL
57-55-6	Propane-1,2-diol, particulates	-	10		TWA (8 h)	WEL

Biological Monitoring Guidance Values (EH40)

CAS No	Substance	Parameter	Value	Test material	Sampling time
78-93-3	Butan-2-one	butan-2-one	70 µmol/L	urine	Post shift



JUST INK Basic Orange

Revision date: 20.01.2022

Product code: 27175

Page 4 of 11

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
56-81-5	Glycerin 99,5% PH, EUR, USP			
Consumer D	NEL, long-term	oral	systemic	229 mg/kg bw/day
Worker DNEL	., long-term	inhalation	local	220 mg/m ³
Consumer D	NEL, long-term	inhalation	local	132 mg/m ³
57-55-6	Propylenglycol-1,2			
Worker DNEL	, long-term	inhalation	systemic	168 mg/m³
Worker DNEL	., long-term	inhalation	local	10 mg/m ³
Consumer D	NEL, long-term	inhalation	systemic	50 mg/m ³
Consumer D	NEL, long-term	inhalation	local	10 mg/m ³
64-17-5	ethanol; ethyl alcohol			
Worker DNEL	., long-term	inhalation	systemic	950 mg/m³
Worker DNEL	., long-term	dermal	systemic	343 mg/kg bw/day
Consumer D	NEL, long-term	inhalation	systemic	114 mg/m ³
Consumer D	NEL, long-term	dermal	systemic	206 mg/kg bw/day
Consumer D	NEL, long-term	oral	systemic	87 mg/kg bw/day
78-93-3	butanone; ethyl methyl ketone			
Worker DNEL	, long-term	inhalation	systemic	600 mg/m³
Worker DNEL	., long-term	dermal	systemic	1161 mg/kg bw/day
Consumer D	NEL, long-term	inhalation	systemic	106 mg/m ³
Consumer D	NEL, long-term	dermal	systemic	412 mg/kg bw/day
Consumer DI	NEL, long-term	oral	systemic	31 mg/kg bw/day



JUST INK Basic Orange

Revision date: 20.01.2022

Product code: 27175

Page 5 of 11

PNEC values

CAS No	Substance	
Environmenta	al compartment	Value
56-81-5	Glycerin 99,5% PH, EUR, USP	
Freshwater		0,885 mg/l
Freshwater (i	intermittent releases)	8,85 mg/l
Marine water	r	0,088 mg/l
Freshwater s	ediment	3,3 mg/kg
Marine sedim	nent	0,33 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	1000 mg/l
Soil		0,141 mg/kg
57-55-6	Propylenglycol-1,2	
Freshwater		260 mg/l
Freshwater (i	intermittent releases)	183 mg/l
Marine water	r	26 mg/l
Freshwater s	ediment	572 mg/kg
Marine sedim	nent	57,2 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	20000 mg/l
Soil		50 mg/kg
64-17-5	ethanol; ethyl alcohol	
Freshwater		0,96 mg/l
Freshwater (i	intermittent releases)	2,75 mg/l
Marine water	ſ	0,79 mg/l
Freshwater s	sediment	3,6 mg/kg
Marine sedim	nent	2,9 mg/kg
Secondary po	oisoning	380 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	580 mg/l
Soil		0,63 mg/kg
78-93-3	butanone; ethyl methyl ketone	
Freshwater		55,8 mg/l
Freshwater (i	intermittent releases)	55,8 mg/l
Marine water	r	55,8 mg/l
Freshwater s	sediment	284,74 mg/kg
Marine sedim	nent	284,7 mg/kg
Secondary po	oisoning	1000 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	709 mg/l
Soil		22,5 mg/kg

Additional advice on limit values

Does not contain substances above concentration limits fixing an occupational exposure limit.

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.



JUST INK Basic Orange

Revision date: 20.01.2022

Product code: 27175

Page 6 of 11

Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye/face protection. Eye protection: not required.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Hand protection: not required.

Skin protection

. Body protection: not required.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. With correct and proper use, and under normal conditions, breathing protection is not required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid		
Colour:	orange		
Odour:	characteristic		
			Test method
pH-Value (at 20 °C):		7,5 - 8,5	ISO 4316
Changes in the physical state			
Melting point:		No data available	
Boiling point or initial boiling point and boiling range:		64,7 °C	
Sublimation point:		No data available	
Softening point:		No data available	
Pour point:		No data available	
Flash point:		59,7 °C	
Sustaining combustion:		Not sustaining combustion	UN Test L.2
Flammability			
Solid/liquid:		No data available	
Gas:		No data available	
Explosive properties The product is not: Explosive.			
Lower explosion limits:		1,22 vol. %	
Upper explosion limits:		19 vol. %	
Auto-ignition temperature:		360 °C	DIN 51794
Self-ignition temperature			
Solid:		No data available	
Gas:		No data available	
Decomposition temperature:		not determined	
Oxidizing properties Alcohol			



	JUST INK Basic Orange	
Revision date: 20.01.2022	Product code: 27175	Page 7 of 1
Vapour pressure: (at 20 °C)	23 hPa	
Vapour pressure: (at 50 °C)	123 hPa	
Density (at 20 °C):	1,1 g/cm³	
Bulk density:	No data available	
Water solubility:	No data available	OECD 116
Solubility in other solvents No data available		
Partition coefficient n-octanol/water:	No data available	
Viscosity / dynamic:	No data available	
Viscosity / kinematic:	No data available	
Flow time:	No data available	
Relative vapour density:	No data available	
Evaporation rate:	No data available	
Solvent separation test:	No data available	
Solvent content:	4,52 %, water: 39,78 %	
9.2. Other information		
Solid content:	33,77 %	
No data available		

10.1. Reactivity

No data available

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

No information available.

Acute toxicity

Based on available data, the classification criteria are not met. There are no data available on the preparation/mixture itself.



JUST INK Basic Orange

Revision date: 20.01.2022

Product code: 27175

Page 8 of 11

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
100-51-6	benzyl alcohol					
	oral	LD50 mg/kg	1230	Rat	GESTIS	
	inhalation vapour	ATE	11 mg/l			
	inhalation aerosol	ATE	1,5 mg/l			

Irritation and corrosivity

Based on available data, the classification criteria are not met. Not an irritant.

Sensitising effects

Based on available data, the classification criteria are not met. not sensitising.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met. No indications of human carcinogenicity exist. No indications of human germ cell mutagenicity exist.

No indications of human reproductive toxicity exist.

STOT-single exposure

Based on available data, the classification criteria are not met. No information available.

STOT-repeated exposure

Based on available data, the classification criteria are not met. No information available.

Aspiration hazard

Based on available data, the classification criteria are not met. No information available.

Specific effects in experiment on an animal

The components in this formulation do not meet the criteria for classification as CMR category 1 or 2.

Additional information on tests

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]. The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

Practical experience

No information available.

11.2. Information on other hazards

Other information

No information available.

Further information

Summarized evaluation of the CMR properties: The components in this formulation do not meet the criteria for classification as CMR category 1 or 2.

SECTION 12: Ecological information

12.1. Toxicity

Technically correct releases of minimal concentrations to adapted biological sewage treatment facility, will not disturb the biodegradability of activated sludge.

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available



JUST INK Basic Orange

Revision date: 20.01.2022

Product code: 27175

Page 9 of 11

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
100-51-6	benzyl alcohol	1,05

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.7. Other adverse effects

No data available

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

200128 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); paint, inks, adhesives and resins other than those mentioned in 20 01 27

List of Wastes Code - used product

200128 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); paint, inks, adhesives and resins other than those mentioned in 20 01 27

List of Wastes Code - contaminated packaging

200128 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); paint, inks, adhesives and resins other than those mentioned in 20 01 27

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Other applicable information (land transp No dangerous good in sense of this tran Not restricted	
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.



Revision date: 20.01.2022	JUST INK Basic Orange Product code: 27175	Page 10 of 1
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Other applicable information (inland wa		
Not restricted		
Marine transport (IMDG)		
14.1. UN number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Other applicable information (marine tr Not restricted	ansport)	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Other applicable information (air transport No dangerous good in sense of this t Not restricted		
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user		
No		
14.7. Maritime transport in bulk according	to IMO instruments	
No		
No SECTION 15: Regulatory information		
SECTION 15: Regulatory information	ulations/legislation specific for the substance or mixture	
SECTION 15: Regulatory information	ulations/legislation specific for the substance or mixture	
SECTION 15: Regulatory information 15.1. Safety, health and environmental reg EU regulatory information		
SECTION 15: Regulatory information 15.1. Safety, health and environmental reg EU regulatory information 2010/75/EU (VOC):	17,924 % (197,165 g/l)	
SECTION 15: Regulatory information 15.1. Safety, health and environmental reg EU regulatory information		
SECTION 15: Regulatory information 15.1. Safety, health and environmental reg EU regulatory information 2010/75/EU (VOC): 2004/42/EC (VOC): Information according to 2012/18/EU	17,924 % (197,165 g/l) 19,449 % (213,937 g/l)	
SECTION 15: Regulatory information 15.1. Safety, health and environmental reg EU regulatory information 2010/75/EU (VOC): 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III): Additional information	17,924 % (197,165 g/l) 19,449 % (213,937 g/l) Not subject to 2012/18/EU (SEVESO III)	
SECTION 15: Regulatory information 15.1. Safety, health and environmental reg EU regulatory information 2010/75/EU (VOC): 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III): Additional information Mixture for use in tattoos. Annex XVII	17,924 % (197,165 g/l) 19,449 % (213,937 g/l)	
SECTION 15: Regulatory information 15.1. Safety, health and environmental reg EU regulatory information 2010/75/EU (VOC): 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III): Additional information Mixture for use in tattoos. Annex XVII National regulatory information	17,924 % (197,165 g/l) 19,449 % (213,937 g/l) Not subject to 2012/18/EU (SEVESO III) to Regulation (EC) No 1907/2006, 75.	
SECTION 15: Regulatory information 15.1. Safety, health and environmental reg EU regulatory information 2010/75/EU (VOC): 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III): Additional information Mixture for use in tattoos. Annex XVII National regulatory information Water hazard class (D):	17,924 % (197,165 g/l) 19,449 % (213,937 g/l) Not subject to 2012/18/EU (SEVESO III)	
SECTION 15: Regulatory information 15.1. Safety, health and environmental reg EU regulatory information 2010/75/EU (VOC): 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III): Additional information Mixture for use in tattoos. Annex XVII National regulatory information Water hazard class (D): 15.2. Chemical safety assessment	17,924 % (197,165 g/l) 19,449 % (213,937 g/l) Not subject to 2012/18/EU (SEVESO III) to Regulation (EC) No 1907/2006, 75.	
SECTION 15: Regulatory information 15.1. Safety, health and environmental reg EU regulatory information 2010/75/EU (VOC): 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III): Additional information Mixture for use in tattoos. Annex XVII National regulatory information Water hazard class (D): 15.2. Chemical safety assessment	17,924 % (197,165 g/l) 19,449 % (213,937 g/l) Not subject to 2012/18/EU (SEVESO III) to Regulation (EC) No 1907/2006, 75. 1 - slightly hazardous to water	
SECTION 15: Regulatory information 15.1. Safety, health and environmental reg EU regulatory information 2010/75/EU (VOC): 2004/42/EC (VOC): Information according to 2012/18/EU (SEVESO III): Additional information Mixture for use in tattoos. Annex XVII National regulatory information Water hazard class (D): 15.2. Chemical safety assessments for sub	17,924 % (197,165 g/l) 19,449 % (213,937 g/l) Not subject to 2012/18/EU (SEVESO III) to Regulation (EC) No 1907/2006, 75. 1 - slightly hazardous to water	

Abbreviations and acronyms

CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals



according to Regulation (EC) No 1907/2006

JUST INK Basic Orange

Revision date: 20.01.2022

Product code: 27175

Page 11 of 11

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations CAS: Chemical Abstracts Service DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LC50: Lethal concentration, 50% LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) IMDG: International Maritime Code for Dangerous Goods EmS: Emergency Schedules MFAG: Medical First Aid Guide IATA: International Air Transport Association ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

Relevant H and EUH statements (number and full text)

H302Harmful if swallowed.H332Harmful if inhaled.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	tattoo ink	PW	-	18	20	-	-	-	1
LCS: Life cycle stages					SU: Sectors of use				
PC: Product categories					PROC: Process categories				
ERC: Environmental release categories				ŀ	AC: Article categories				
TF: Technical functions									

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)